

Listing of Claims

The following listing of claims will replace all prior versions, and listings, of claims in the subject application:

1. (currentlyly amended) A method of detecting Parkinson's disease (PD) through MRI of substantia nigra pars compacts (SNc) tissue comprising:

obtaining a gray matter suppressed (GMS) MRI signal of said SNc tissue;

obtaining a white matter suppressed (WMS) MRI ~~signals~~ signal of said SNc tissue;

combining information from said GSM and WMS MRI signals so as to produce resultant signals indicative of PD.

2. (original) A method as in claim 1 in which said obtaining of each of the GSM and WMS MRI signals comprises using an inversion recovery (IR) pulse sequence.

3. (original) A method as in claim 2 including forming GSM and WMS MRI images using information from said GSM and WMS MRI signals, respectively, and wherein said combining step comprises combining at least portions of said GSM and WMS images.

4. (original) A method as in claim 3 in which said combining comprises obtaining a ratio image of GSM and WMS images for at least one MRI slice.

5. (original) A method as in claim 4 further comprising processing selected medial and lateral regions of interest in each ratio image to derive a numerical measure indicate of the

presence and/or staging of PD.

6. (original) A method as in claim 1 further including using the resultant signals to stage PD.

7. (original) A method as in claim 1 including plotting the resultant signals in a two-dimensional plot in which markers for patients with PD appear in an area different from that for patient without PD.

8. (original) A method as in claim 7 in which the markers for patient with PD appear in different areas corresponding to different stages of PD.

9. (previously presented) A method as in claim 1 including causing said resultant signals to be indicative of a relative loss of MRI signal from lateral as compared with medial portions of the SNc.

10. (currentlyly amended) A method of detecting Progressive Supranuclear Palsy (PSP) through MRI of substantia nigra pars compacta (SNc) tissue comprising:

obtaining a gray matter suppressed (GMS) MRI signal of said SNc tissue;

obtaining a white matter suppressed (WMS) MRI ~~signals~~ signal of said SNc tissue;

combining information from said GMS and WMS MRI signals to produce a resultant signals indicative of PSP.

11. (previously presented) A method as in claim 10 including causing said resultant signals to be indicative of a relative loss of MRI signal from medial as compared with lateral portions of the SNc.

12. (previously presented) A method of distinguishing between two forms of parkinsonism radiographically, Parkinson's disease (PD) and Progressive Supranuclear Palsy (PSP) through MRI of substantia nigra pars compacta (SNc) tissue comprising:

obtaining at least two starting MRI images of SNc tissue using different MRI parameters;

combining the starting images to compute resultant signals differentiating between PD and PSP.

13. (original) A method as in claim 12 in which the at least two starting images comprise a gray matter suppressed (GMS) MRI image and a white matter suppressed (WMS) MRI image of said SNc tissue in the same MRI slice.

14. (original) A method as in claim 13 in which each of said GMS and WMS image is obtained using an inversion-recovery MRI pulse sequence.

15. (currently amended) A method of detecting Progressive Supranuclear Palsy (PSP) through MRI of substantia nigra pars compacta (SNc) tissue comprising:

obtaining at least two starting MRI images of SNc tissue using different MRI parameters;

combining the starting images and computing resultant signals indicative of and identifying PSP.

16. (previously presented) A method as in claim 15 in which the at least two starting images comprise a gray matter suppressed (GMS) MRI image and a white matter suppressed (WMS) MRI image of said SNc tissue in the same MRI slice.

17. (previously presented) A method as in claim 16 in which each of said GMS and WMS image is obtained using an inversion-recovery MRI pulse sequence